## **Instructions:**

Print this handy checklist for any building project. It can be applied partially to any project. It will make sure you have all the bases covered. This is the best tool in the tool box to begin any project with.

Customer:	
Legal Address:	
Reg.Plan #:	
City:	
Municipality:	
Building Permit Information  Lot size:	
(W):	
(D):	
Area:	
Sq.ft.:	
Road access:  Curb Cut Culvert Damage Deposit:	

□Permit required
Zoning:
Setbacks:
Front:
Back:
Side:
Building Specs.:
Sq.Ft.:
Percentage:
Building Height:(ft.)
Building Area/footprint:
No. of Story's:
Type of Building:
Class of Building:

## **SERVICES** 2 Power: □@lot line Overhead □Underground □100 amp □200 amp Other: **B** Water: □Well ☐ municipal □at lot line □Drilled-Size: (5" or 6"): Capacity (G.P.M.) **4 Natural Gas:** □yes □no **Driveway:** □Gravel □Asphalt/tar □Concrete Stamped ☐Interlock □None **6** Lot Grading Plan: □Yes □No Lot Grading: ☐Scrape Topsoil

Spread Topsoil
Excess Fill
Shortage of fill
Adequate fill
Shortage Topsoil

■ Soil type:  □Clay □Sand □Gravel □Silt □Other
□ Sewer or Septic System: □Class IV □Class VI □Holding Tank
□Other:
□Pre-engineered
□Inspections:
☐Import Sand:
☐ Home Style ☐Colonial ☐Side split ☐Back split ☐Two Storey ☐1 1/2
□Other:
☐ Garages:  □None □Carport □1 1/2 □Double □Other:
Proundation:  8" concrete  9" concrete  10" concrete
□Other:
☐Reinforced:
□Concrete Block □Preserved wood □Slab on grade
□Other:

<b>I</b> B Height:
□Full □Crawl Space
□Custom (>7'10"):
☐Basement Walkout☐Steel Beam bearing or☐Load bearing walls
■ Exterior Wall Makeup: Studs: Height ■8'0" ■7'6"
□Other:
□2" x 4" □2" x 6"
☐ Sheathing: ☐ 7/16" Aspenite ☐ 1/2" Spruce Plywood ☐ 7/16" Tentest
□ <u>Insulating Sheathing:</u> □1/2" □1" □1 1/2" □2"
□Glass Clad □Stryrofoam S/M
Other:
☐House Wrap:
☐Tar Paper
Masonry:  □Clay □Shale □Calcite/Cement □Fieldstone □Reclaimed □Angelstone
Brick Cladding:  ☐AII ☐First Storey ☐None

<b>☑</b> Siding Cladding:
□Aluminum □Wood
☐Insulative factor:
■ Windows:  □ Casement □ Awning □ Slider □ Single Hung □ Double Hung
□single glazed □double glazed □triple glazed □low e/argon
Exterior Finish of Window:  Paint Grade  Aluminum clad  Vinyl Clad  Solid PVC
Special Features  Skylights  Half Round Windows  Transoms  Terrace doors  2x6 extensions  2x4 extensions
Other
<u>Decorative Grills</u> □Front Only □All round
Interior Finish □Clear Pine □Finger Joint □Solid PVC
■ Heating System:  Furnace  Natural Gas  Propane  Oil  Electric  Oil/Wood  Normal efficiency  High efficiency

Heat Pumps Air Bi-Valent Ground Source Closed Loop Open Loop
<u>Thermostat</u> □Manual □Fully Electronic
Other Equipment  Air conditioning  Electronic Air Cleaner  Humidifier  Boiler  Radiant Hear
Central Vac Rough-in Complete None
<u>Security Alarm</u> □Rough-in □Complete □None
Intercom □Rough-in □Complete □None
CCTV/DATA  Rough-in  Complete  None
Entertainment/Technology Wiring Rough-in None
Phone Lines ☐1 line ☐2 lines
□Jacks

21 Trim Details:  Oak □Pine □Mahogany □Clear □Fingerjoint □Colonial □Flat □Combination
Sizing:
Casing
Baseboard
Other
22 Flooring:
□Vinyl in
☐Hardwood in
☐Ceramic in
<u>Hard Surface Quality</u> □Low/medium □High
Carpet in
<u>Carpet Quality</u> □Low □Medium □High
<u>Underpad</u>
□Low
□Medium □High

Cabinetry material Oak Pine Cherry Maple Mahogany High density laminate Melamine MDF polyester Solid Veneer	s:
Countertops  Arborite  Corian  Marble  Ceramic  Wood	
Special Features Pots & Pans drawer Lazy Susan Appliance garage Microwave shelf Built-in wall oven Garbage can Dishwasher space Light valance Plate rail Wine Rack Spice rack/utensil dividers Pantry drawers	
□Other:	
Curved ☐ Straight ☐ Mid landing ☐ Open stringer ☐ Closed Stringer ☐ Open Riser ☐ Closed Riser ☐ Covered Run	
Wood Finished Run: □Oak □Pine	
Railing  Traditional  Contemporary  Wood  Metal	

□ Painted □ Natural □ Stained
25 Plumbing:
Fixtures
Bathtubs Acrylic Steel Enamel Fibreglass Whirlpool Normal 5'0"
Other
☐One piece ☐Normal (Tiling) Water Closets ☐Insulated ☐One piece
Other Plumbing Features  Bidet Temperature Control Faucets Non Freeze Taps Shutoff valves at all fixtures
Sewage Ejector: Holding Tank only Tank & Pump
□Hot Water Tank: □40 Gal □60 Gal □Other
□Gas □Oil □Hydro
☐Single lever washerless faucets ☐Vegetable spray ☐Spillway kitchen sink ☐Steel ☐Acrylic ☐Plumbing roughed in for 3 pc. in basement

Water softener/purification equipment
□None
☐3 Line system roughed in only
☐Pantry faucet
☐Manual system
☐Meter initiated
Liron remover
☐Purification filtration system
26 Electrical:
Switching devices and plugs:
□Standard
Li Decora
Fixtures:
Customer supply
☐Electrician supply
Allowance:
Yes
Amount \$
· ··················